

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

This Page Blank (uspto)

#4

367.38234X00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Paivi PUKKILA, ET AL.

Serial No.:

Filed: February 22, 2000

Title: A HANDSET

Group:

JC625 U.S. PTO

09/510517



02/22/00

LETTER CLAIMING RIGHT OF PRIORITY

Honorable Commissioner of
Patents and Trademarks
Washington, D.C. 20231

February 22, 2000

Sir:

Under the provisions of 35 USC 119 and 37 CFR 1.55, the applicant(s) hereby claim(s) the right of priority based on British Patent Application No.(s) 9904055.2 filed February 22, 1999.

A certified copy of said British Application is attached.

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP

Carl I. Brundidge
Registration No. 29,621

CIB/rdh
Attachment
(703) 312-6600

This Page Blank (uspto)

This Page Blank (uspto)



The Patent Office



INVESTOR IN PEOPLE

<input type="checkbox"/>	Comp Record
<input type="checkbox"/>	File Record
<input type="checkbox"/>	<input type="checkbox"/>
3.1 JAN 2000	
<input type="checkbox"/>	Renewal Record
<input type="checkbox"/>	Letters
<input type="checkbox"/>	Award
<input type="checkbox"/>	CC

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

JC625 U.S. PTO
09/510517



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation and Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein together with the Statement of inventorship and of right to grant of a Patent (Form 7/77), which was subsequently filed.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

[Signature]

Dated

26th January 2000


This Page Blank (uspto)

22-FEB.'99(MON) 21:21 NMP PATENTS UK

FAX:+44 1252 865080

P.003

Patents Form 1/77

Patents Act 1977
(Rule 16)The
Patent
Office

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

PAT 99406 GB

2. Patent application number

(The Patent Office will fill in this part)

9904055.2

3. Full name, address and postcode of the or of each applicant (underline all surnames)

NOKIA MOBILE PHONES LIMITED
KEILALAHDENTIE 4
02150 ESPOO
FINLAND

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

5911995004
FINLAND

4. Title of the invention

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

NOKIA IPR DEPARTMENT
NOKIA HOUSE
SUMMIT AVENUE
FARNBOROUGH
HAMPSHIRE
GU14ONG UK

Patents ADP number (if you know it)

7577638001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not named as an applicant, or
c) any named applicant is a corporate body.
See note (d))

YES

Patents Form 1/77

22-FEB.' 99 (MON) 21:21 NMP PATENTS UK

FAX: +44 1252 865080 "

P. 002

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

Claim(s)

Abstract


Drawing(s)

18

4

1

19



10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

1

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

JULIET J G HIBBERT

Date 22-02-99

12. Name and daytime telephone number of person to contact in the United Kingdom


Miss K Jeffery 01252 865306

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.




Statement of inventorship and of right to grant of a patent

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference
PAT 99406 GB
2. Patent application number
(if you know it)
9904055.2 D2
3. Full name of the or of each applicant
NOKIA MOBILE PHONES LIMITED
4. Title of the invention
A HANDSET
5. State how the applicant(s) derived the right from the inventor(s) to be granted a patent
By virtue of an assignment dated 20.01.1999
6. How many, if any, additional Patents Forms 7/77 are attached to this form?
(see note (c))
7. I/We believe that the person(s) named over the page (and on any extra copies of this form) is/are the inventor(s) of the invention which the above patent application relates to.

Signature  Date
HELEN HAWS 26.10.99
8. Name and daytime telephone number of person to contact in the United Kingdom
Miss K Jeffery 01252 865306

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there are more than three inventors, please write the names and addresses of the other inventors on the back of another Patents Form 7/77 and attach it to this form.
- d) When an application does not declare any priority, or declares priority from an earlier UK application, you must provide enough copies of this form so that the Patent Office can send one to each inventor who is not an applicant.
- e) Once you have filled in the form you must remember to sign and date it.

Enter the full names, addresses and postcodes of the inventors in the boxes and underline the surnames

MIKKO WITH
PIHLAJAKUJA 10 A 1
90460 OULUNSALO
FINLAND

0777 2049001

Patents ADP number (if you know it):

CHRISTIAN KRAFT
SOENDER BOULEVARD 42 2tv
DK-1720 Copenhagen V
Denmark

07554736001

Patents ADP number (if you know it):

1686918002

PAIVI PUKKILA
Vihiluodontie 38 as 2
90460 Oulunsalo
Finland

07058032001

Patents ADP number (if you know it):

2554770001

Reminder

Have you signed the form?

NC24562

A Handset

The present invention relates to the user interface of a handset. In particular, it relates to the control of the operation of a display of such a device.

The displays of handportable devices, such as radio communication devices present severe constraints on the amount of information that can usefully be presented to the user at any one time. These constraints have become increasingly problematic as users demand ever more information at their fingertips.

According to one aspect of the present invention, there is provided a handset comprising a user interface comprising an input, a display for presenting an item, and selection means coupled to the input for selecting an item presented on the display; means for defining a first boundary in a first display direction; means for defining a second boundary in a further display direction; means for providing a contracted version of an item which fits within the first and second boundaries; and means for providing a corresponding expanded version of the item which fits within the first boundary and expands in the further display direction; control means, coupled to the selection means, expanded version provision means and contracted version provision means, for controlling operation of the display to present the contracted or expanded version of the item; wherein when the contracted version of the item is presented on the display and selected by the selection means, the control means controls the operation of the display to present the corresponding expanded version.

Such a radio handset has improved user operability for a number of reasons. For example, the user can obtain an overview of options available to him, typically on a single display page, with further detail available to him if so desired. After a period, the user may familiarise himself with the contracted version of an item and thus no longer refer to the expanded version. Hence,

the speed with which the user can select the appropriate options can be improved. In any event, improved flexibility of manipulation of the information by the user is provided.

One particular benefit for both users and phone manufacturers is the fact that consistent user interface styles can be used irrespective of the amount of information an item contains. This is particularly advantageous regarding the introduction of browser phones, which inherently deal with large amounts of information, as a user familiar with the menu structure of a manufacturer's radiotelephone will not need to learn a new structure in order to operate that manufacturer's browser device.

The first boundary may be in the direction of the width of the display. In this case, the boundary may be defined by the active width of the display, for example. Alternatively, the boundary may only cover part of the width, so that, for example, two horizontally aligned contracted versions may be expanded depthwise on the same display page.

Preferably the second boundary is defined by the depth of a display line, so that a number of options can be presented on different display lines. The display line may be a predefined area for text.

Alternatively, the first boundary may be in the direction of the depth of the display. In this case, the boundary may be defined by the active depth of the display, for example. Alternatively, the boundary may only cover part of the depth, so that, for example, two vertically aligned contracted versions may be expanded widthwise on the same display page.

The contracted version of the item may be a reduced content version. For example, on the one hand, text may be abbreviated or truncated. It is useful for the user if he is presented with an indicator that the version is contracted. For example, if text has been truncated, three dots at the end would provide a suitable indicator. On the other hand, an item in the form of an icon may be

reduced to a textual version. This has the advantage of improving the speed with which the options can be presented as less processing is required to operate the display.

Instead, the contracted version of the item may be a reduced size version. For example, it may have a reduced font size.

The input may comprise means for identifying an item to be selected by the selection means. This may take any of a number of forms, including voice recognition means and key means.

In one embodiment, the item may be numbered or lettered, and the item to be selected identified by the actuation of a key with the corresponding number or letter.

In one embodiment, the item identifying means further comprises a cursor controlled by the key means. The cursor would typically take the form of a line or highlighter. In this event, the selection means may select the item identified by the cursor, in accordance with a further key stroke. Alternatively, however, it may select an item if that item is identified by the cursor for a predetermined period.

Once the expanded version has been displayed on the display, the control means may be arranged to either cause the display to represent the contracted version after a given period, or only return to that display page in response to a key stroke.

Preferably, the key means comprises navigation means, as this improves the speed of the users movement through his desired route. The navigation means may, for example, be a scroll key, such as a roller key or a key having depression elements for scrolling in associated directions.

The item to be presented may be an item stored in the device, such as an entry in a phonebook. However, the invention is particularly suited to devices such as browser phones which comprise a radio receiver for receiving a high information content item to be presented on the display from a remote server. It is also particularly advantageous when dealing with selection lists.

When a contracted version of an item is selected, the display may be operated to totally replace that version with the expanded version. Instead, however, both versions may appear on the display together.

Embodiments of the present invention will now be described, by way of example, with reference to the accompanying drawings, of which:

Figure 1 illustrates a radio handset according to an embodiment of the present invention;

Figure 2 illustrates parts of the radio handset of Figure 1;

Figures 3 and 4 illustrate alternative handsets to that shown in Figure 1;

Figure 5(a) illustrates how information may be presented on a large display, such as a desktop PC monitor;

Figure 5(b) illustrates the information shown in Figure 5(a) as a list;

Figure 5(c) illustrates how the information shown in Figure 5(a) may be structured for display on a radio handset, according to a preferred embodiment of the present invention;

Figure 6 illustrates how various terms in reduced format may be shown in their full or expanded format according to a preferred embodiment of the present invention;

Figures 7 and 8 illustrate examples of wireless markup language (WML), which a radio handset of the invention may receive from a network, for example, and a preferred resultant user interface;

Figures 9 and 10 relate to the browser of a radio handset, and exemplify its user interface for different services received from the network;

Figure 11 shows how the display of the device of Figure 1 may be divided into regions for displaying different types of information;

Figure 12 (a) illustrates WML received by a radio handset from the network;

Figure 12 (b) illustrates a preferred resultant user interface;
Figure 12 (c) is a flow diagram illustrating the interpretation of the received WML shown in Figure 12 (a) by the radio handset, to arrive at the user interface of Figure 12 (b);
Figure 13 illustrates different display layouts with reduced versions of items and how they could be expanded; and
Figure 14 shows another example of the invention in practice.

Figure 1 shows a preferred embodiment of a radio handset, according to the present invention. The handset, which is generally designated by 1, comprises a user interface having a keypad 2, a display 3, an on/off button 4, a speaker 5, and a microphone 6. The handset 1 according to the preferred embodiment is adapted for communication via a wireless telecommunication network, e.g. a cellular network. However, the handset could also have been designed for a cordless network. The keypad 2 has a first group 7 of keys as alphanumeric keys, by means of which the user can enter a telephone number, write a text message (SMS), write a name (associated with the phone number), etc. Each of the twelve alphanumeric keys 7 is provided with a figure "0-9" or a sign "#" or "*", respectively. In alpha mode each key is associated with a number of letters and special signs used in text editing. The keypad 2 additionally comprises two soft keys 8, two call handling keys 9, and a navigation key 10.

The two soft keys 8 have functionality corresponding to what is known from the handsets Nokia 2110™, and Nokia 8110™. The functionality of the soft key depends on the state of the handset and the navigation in the menu by using a navigation key. The present functionality of the soft keys 8a and 8b is shown in separate fields in the display 3 just above the keys 8.

The two call handling keys 9 according to the preferred embodiment are used for establishing a call or a conference call, terminating a call or rejecting an incoming call.

The navigation key 10 is an up/down key and is placed centrally on the front surface of the handset between the display 3 and the group of alphanumeric keys 7. Hereby the user will be able to control this key by simply pressing the up/down key using his/her thumb. Since many experienced handset users are used to one-hand control, it is a very good solution to place an input key, requiring precise motor movements. Thus, the user may place the handset in the hand between the finger tips and the palm of the hand. Hereby, the thumb is free for inputting information.

Figures 3 and 4 illustrate alternative handsets to that in Figure 1. The handset of Figure 3 differs in that the navigation key is a roller key. The roller key can be rolled for navigation and pressed for selection, and assists speedy movement through display pages. The handset of Figure 4 differs in that it has a single soft key 8c and no dedicated call handling keys 9. The single softkey operates as in the Nokia 3110™.

Figure 2 is a block diagram of the most important parts of a preferred embodiment of the handset. These parts being essential to understand the invention. The preferred embodiment of the handset of the invention is adapted for use in connection with a GSM network, but, of course, the invention may also be applied in connection with other handset networks, such as other kinds of cellular networks and various forms of cordless handset systems or in dual band handsets accessing sets of these systems/networks. The microphone 6 records the user's speech, and the analogue signals formed thereby are A/D converted in an A/D converter (not shown) before the speech is encoded in an audio part 14. The encoded speech signal is transferred to control means 18. The control means 18 comprises a processor, which may support software in the handset. The control means 18 also forms the interface to the peripheral units of the apparatus, wherein the peripheral units can comprise a RAM memory 17a and a Flash ROM memory 17b, a SIM card 16, the display 3 and the keypad 2 (as well as data, power supply, etc.). The control means 18 communicates with a transmitter/receiver means 19, e.g. a circuit which is adopted to

send/receive a request/respond to/from a telecommunication network. The audio part 14 speech-decodes the signal, which is transferred from the control means 18 to the earpiece 5 via a D/A converter (not shown).

The control means 18 is connected to the user interface. Thus, it is the control means 18 which monitors the activity in the handset and controls the display 3 in response thereto. Therefore, it is the control means 18 which detects the occurrence of a state change event and changes the state of the handset and thus the display text. A state change event may be caused by the user when he activates the keypad including the navigation key 10, and these type of events are called entry events or user events. However, the network communicating with the handset may also cause a state change event. This type of event and other events beyond the user's control are called non user events. Non user events comprise status change during call set-up, change in battery voltage, change in antenna conditions, message on reception of SMS, etc.

Figure 5 illustrates the menu of a curry house. This menu could have been stored in memory 17a of the handset by the user (for example in the format shown in figure 5b). Alternatively, it could be provided by a restaurant as an Internet service. A typical Internet service might have a page looking like figure 5a on a conventional desktop PC monitor.

The format shown in figure 5b is not suitable for a handset display which may typically have six lines for text, as it would require a large amount of scrolling by the user in order for him to see all the options available. Moreover, he would need to scroll through all the options of a certain meal type before arriving at a meal type that he desires. For example, if he only wishes to look at the main course and sundries, he would need to scroll through the set menu type and set menu options and the starters and starter options before reaching the main course options.

Figure 5c, on the other hand, illustrates a preferred display menu arrangement according to an embodiment of the present invention.

The content which may appear on a display can be divided into two types, static items (e.g. plain text) and react-to or reactive items (e.g. input elements, select elements). In figure 5a, the static and reactive items are shown together on the display. The headings set menu, starters, main course, sundries and side dishes are static items, and the selection lists under those headings e.g. Samosa, Prawn Puree, Onion Bhaji under the heading starters, are react-to items.

In the embodiment of the invention shown in figure 5c, however, rather than display both static and react-to items together, the react-to items are each given a static instance on the display, which links to the corresponding react-to item. For example, static instances can be identified by the user in this embodiment by the presence of square brackets [] on the display. Looking at display pages 501 and 502, display page 501 comprises a static instance 521 "starters []" which links to a starters selection list on the starter page 502. The menu page 501 may be replaced by the starters page 502 when the user selects the "select function 522" by actuating the corresponding softkey (for example the softkey 8a of the handset shown in figure 1).

As can be seen from figure 5c, the user gets to see all the meal types available on the menu on a single display page, without having to scroll through all the selection lists first (display page 501). This has the advantage of him being able to have a clear overview of the possible meal type options and also enables him to skip options not of interest to him (for example the set menu options in this case).

In this embodiment, the user has selected the starters static instance "starters []" 521 by moving the cursor to that option and pressing the select softkey. Hence, the handsets processor 18 causes the display to show a new display page, namely the linked starters page 502. The user then scrolls through the

options (for example using scroll key 10 in the handset of figure 1) and presses the select softkey when the starter he desires is highlighted. The display then reverts to showing the main menu page, but with an indication of the starter choice selected (display page 503). This may occur automatically upon selection or in response to the user selecting the back function 523 by actuating the associated right softkey 8b.

The user then selects the next meal type he desires: in this case a main course. The static instance "main course []" is highlighted and upon selection, the processor controls the display to show the linked page, namely the main course page 505. In order to enable the user to make a selection quickly and with the minimum amount of scrolling, this main course page 505 displays further static instances corresponding to main courses of certain types, namely meat fish and vegetables. In this case, the user has highlighted the fish option, thus eliminating the need to plough through the meat and vegetable dishes unless he so desires. In this example, King Prawn Jalfrezi is selected (from display page 506) and the display reverts back to show the menu page 507, now with starter and main course options indicated. Due to the small size of the display, and the number of meal types available, no extra lines are available on this handset display for new text. Hence, as one display line is not long enough for the full text, the term King Prawn Jalfrezi has been truncated on line 562. In order to indicate this to the user, in this embodiment, the processor has included three dots in this reduced version. Further explanation of the reduction of the full text is given below, in particular with reference to figure 6. Next, the user selects sundries on the main menu page 508, and the display is operated to present the sundries page 509. Like the main course page, the sundries page comprises further static instances rice, [], nan [] which link to respective rice and nan selection lists (on display pages 510 and 513). The user in this example has selected from both lists as shown in the resultant sundries page 514 and the display reverts back to show the main menu page 515. As can be seen from this page, there is again no available display page to show all the sundries choices in full. Hence, a reduced version is shown. However, contrary to the

reduced version of the main course 562, the text is not truncated this time. Instead, the term sundries has been contracted by an elision and displayed as "sund's" 584 and the rice and nan selections 582 and 583 have been displayed in reduced size font 585.

Next, the user selects his desired side dish in the same manner (via display pages 516 and 517) and his selection is finally complete as shown in the filled in menu page 518. If appropriate, by selecting the back function, the user may be able to go to another page in which he can order his selection over the Internet.

Figure 6 illustrates different examples of how the terms 561 and 581-583, which are shown in reduced format 562, 584, 585 in figure 5c may be shown in their full format.

Figure 6a illustrates how the term main course [King Prawn Jalfrezi] may be shown in full format on the handset display. Firstly, the term is selected by the user, in this case by moving the cursor to the term shown in its reduced format. The processor may control operation of the display so that the full format of the item is shown if the cursor remains on the corresponding reduced format for a period (for example 3.5 seconds) or by the user actuating a specified key (e.g. star or hash). Likewise, the processor may cause the display to show the item in its full format until it receives a further user input, or it may cause the display to revert back to the previous page after a predetermined period.

Display pages 601 and 602 show alternative expanded formats. On display page 601, the expanded format obscures information relating to the sundries, but the other options remain in the view, whereas in display page 602, the previous page 603 is totally replaced by the full text main course [King Prawn Jalfrezi] which has also been increased in font size.

Figure 6b illustrates the same alternatives for the reduced format of the sundries selections.

Figure 6c illustrates another example, in which both the main course and sundries reduced format items are selected (display page 604) and their consequential expanded versions are displayed together on display page 605.

Figures 7 and 8 show further examples in which the present invention may be employed, figure 7 showing react-to items in the form of an input list and figure 8 showing react-to items in the form of a selection list.

One way of accessing telecom related information services, such as the Internet, is the use the wireless application protocol (WAP). The wireless application protocol (WAP) is a result of continuing effort to define an industry wide standard for developing applications over wireless communication networks. WAP intends to use wireless mark up language (WML) to specify content and user interface for narrow band devices, including cellular phones and pagers. WML is a mark up language based on extensible mark up language (XML).

All information in WML is organised into a collection of cards and decks. Cards specify one or more units of user interaction. User navigates through a series of WML cards, reviews the contents of each, enters requested information, makes choices, and moves onto another card. The cards are grouped together into decks. A WML deck is similar to a hypertext mark up language page (HTML), in that it is identified by a URL and is the unit of content transmission.

Hence, the WML shown in figures 7 and 8 are examples of what a radio handset may receive from a radio network.

WML does not specify how the handsets processor is to control operation of its display so as to provide the information transmitted to the user. This is defined by the user agent (for example the radio handset processor). As can be seen from figure 7, the WML contains both static and react-to items on the card entitled info. When this WML is received by a handset of the present invention, these terms are separated and linked as appropriate.

For example, the display page 701 comprises static terms including static instances

[] 711 and 712. These static instances are linked to corresponding react-to items. For example, the static instance 711 relating to the first name is linked to a first name display page 702 in which the user can add his name using the handset's data editor. As in the example of figure 6, once the user has edited his name he can select the OK softkey to return to the info page, in which he will be able to view the item input (see 703). In other words, the input fields are not embedded to content as in HTML/WWW but are presented as links [].

Figure 8 illustrates a selection list. It is arranged in a similar manner to that described with reference to figure 6, and will thus not be described further here.

Figures 9 and 10 relate to the browser of a radio handset, and exemplify its user interface for currency conversion and white pages services respectively.

Turning first to figure 9, the user interface of the handset of this embodiment may comprise the same elements as shown in Figure 1, i.e. a keypad 2, a display 3, an on/off button 4, a speaker 5 and a microphone 6. Also, the control means 18 in Figure 2 may control the user interface. A display page 30 is presented on a handset display, as shown in Figure 1 and 2, which indicates signal strength 35 from the wireless telecommunication network "D1 Telekom" 40, the battery power 45 and a clock showing the time 50 in hours and minutes. Preferably, the display in the handset is an LCD (Liquid Crystal

Display) display. The display can be controlled by the control means 18 as shown in Figure 2. The layout 30 presents an example of the handset in idle mode, i.e. when the handset is activated and awaiting an action, e.g. an incoming or outgoing call. At the bottom of the display, in specified softkey fields there are two items which are denoted as "Menu" 55 and "Names" 60. If the user selects "Names" 60 he can e.g. access a built in phonebook. If the user selects "Menu" 55, he can select from among several different menus. The actual selection of functions in the softkey fields, like "Menu" and "Names", can be selected by means of the associated soft keys such as those referenced 8a and b in Figure 1.

One of the menus can be the next page 65 called "Browser" 70. If the user chooses to use this menu, he/she can access different telecom related information services, e.g. Internet, using WAP.

If the user selects "Home" 71, this may lead to the next page 75, which graphically indicates, "Connecting to Service" 80. This shows that the handset is trying to establish a connection to e.g. Internet, by sending an access request to a server. If a connection is established, some kind of welcome text for a home page might be displayed, "Welcome to D1 Web." 90. If the user selects "Options" 100, a list of options can be displayed by the following display page 110. In this example, the different choices are "Currency converter" 115, "White pages" 120, "Pizza" 125, "CNN" 130, etc, and the displayed items are static instances linked to reactive items. As in the Figure 5 embodiment, the full version "Currency Converter" is longer than the width of the active part of the display. Hence, the reduced version is displayed – a truncated version plus the aforementioned three dot indicator. If selected, the user could see the full text, for example in one of the manners shown in Figure 6. The user has selected to use the currency converter 115, and browses further to this application in the next page 135. A browser display is shown on this page with the selected item, which is indicated as a link to a service which provides a currency conversion. The user can select to send a request for the chosen item, by selecting the "Options" function 140.

This leads to the next page 150, which is the same as that shown with reference 75, which graphically indicates, "Connecting to Service" 155. If a connection is established, some kind of information text for the currency converter might be displayed. The page is provided with further static instances which link to various editable fields and selection lists. Again, the static instances are shown with square brackets []. The selection which is highlighted can indicate a default state of the selection. The user can input an amount, "Amount:[]" 165, in one currency, "From:[DKK]" 170, converted into another currency, "converted to:[DKK]" 175, by linking to the pages showing the react to items (e.g. display pages 180, 200). Thereafter, the user may press Ok 190, or clear the amount by selecting "Clear" 191, to return back to the previous display page.

The steps for choosing a first currency to convert from 170, and choosing a second currency to convert to 175, are repeated in the pages 195-205. Thereafter, the user may select "Options" 210, in page 205, which in this example activates the calculation of the currency conversion and displays the result 220 in the next page 215.

If the user wishes to continue with the currency conversion, and choose another currency to convert to, the user selects the option "converted to [DKK]:" 225, which becomes highlighted upon selection, and is shown in page 230. The following reference numbers refers to Figure 3c: 235-270. In the next page 235, a selection list of available currencies are displayed. The user selects e.g. USD 240, and selects the entry by selecting "Ok" 245. The next page 250 highlights the selected currency USD 255 to convert to. Thereafter, the user may select "Options" 260, which in this example once again activates the calculation of the currency conversion and the result "[USD]: 36,36" 265 is displayed with the selected information in the next layout 270.

Figure 10 is an alternative service, but the same handset can be used as in the embodiment of Figure 9. The first four display pages are the same as for

the currency converter and will thus not be described further. When the fifth display page 135 is presented to the user he selects the White Pages option. The White Pages application provides a tool to search contact information on a specific person. Once selected, an access request is sent to the server, as indicated on the display page 155. The handset's processor interprets the incoming WML to provide a static instance 911 on the following display page 910. When selected this static instance links to an edit page 920. The user enters the search string, in this case Peter, and the main White Pages display page 930 is returned to, which indicates the search string. Upon instruction, an access request is sent to the server and a corresponding display page 940 is presented on the display. The search results are received by the handset and listed. The user browses to the last item on page 950 and selects it (e.g. by rolling a roller key and then pressing it down to select it). Details of the person are displayed (pages 960 and 970). Details from these pages can be used in call handling as if they were stored in a conventional handset's phonebook (e.g. save, add to name, send message, call).

Figure 11 illustrates a multipurpose browser display according to a preferred embodiment of the invention. A multipurpose browser display is a term for a user interface of a WML card. It can contain hotlinks, input elements, selection list items, static text areas and images.

The display has been split into fields, so that information of a certain type will appear in a particular field. For example, information tagged as a header will appear in the field referenced B, and functions relating to the softkeys will appear in respective fields A1 and A2. The table (d) of Figure 11 defines the size and position of the fields on the display. This information is preferably stored in the handset and accessed by the processor when controlling operation of the display. The column headers refer to the following:

left	a letter which connects a window on the
column	display picture and a row in the property table
Name	name of the window
X	horizontal co-ordinate of the left top corner

	pixel
Y	vertical co-ordinate of the left top corner pixel
W	horizontal width of the window in pixel amount
H	vertical height of the window in pixel amount
LM	left margin in pixel amount (0 = no marginal)
RM	right margin in pixel amount (0 = no marginal)
TM	top margin in pixel amount (0 = no marginal)
BM	bottom margin in pixel amount (0 = no marginal)
J	justification in the window (R=Right, L=Left, C=Centered)
Contents	information of the contents of the window

There may be several different combinations of sub-divisions. Two such examples are shown in Figure 11 (b) and (c). Figure 11(b) is a useful arrangement for static instance lists and selection lists, and Figure 11 (c) is useful for editing (e.g. input elements) and also for images. As will be appreciated, the fields for selection lists are only one display width long. Hence, it is expected that reduced versions of items will often appear in the fields C to F in particular.

These fields have been used in the Figure 12 embodiment, which will now be described. Figure 12 illustrates some incoming WML, the resultant user interface according to the invention, and how a handset interpreted the WML to arrive at the desired user interface.

The WML defines a deck of two cards. The first card has the title "Small App" and displays the static text "Welcome!" That card also defines a function that upon an "accept signal", another card should be gone to, in this case the card named "eCard". The eCard has a title "Inputs" and has both an input function (Enter name) and a selection function (Choose speed - fast or slow). This information is transmitted to all handsets on a network. However, how that information is presented to a user is dependent upon the user agent (e.g.

browser) of the handset, which interprets the WML. The static and reactive items are separated and linked by [].

The display is set such that the items tagged as "titles" appear in the header field B of the display, the listed items each appear in the single line fields C, D, E F, and the user input field appears in the field identified as G in Figure 11(c). The first card is displayed on a first page, as referenced 120 in Figure 12b. This page contains the title Small Apps 131 appearing in the header field, and the static text Welcome! It also contains the functions of the softkeys, options and back.

The processor is arranged to move to the next card in response to the actuation of the option softkey. However, rather than display all the content of the next card in a continuous string, the processor controls the display to present page 121 which bears only static instances 132 corresponding to the two functions enter name and choose speed. These link to further display pages 122 and 123 respectively which enable the name to be input and speed chosen. Since the whole of the second WML card is unlikely to fit on a single display page, the interpretation given by the browser in this embodiment avoids the need for scrolling, and provides a clearer overall picture of the information required.

Figure 12 (c) is a flow chart showing the interpretation of the WML to arrive at the display pages shown in Figure 12 (b) and how navigation through the pages takes place.

Figure 13 shows reduced formats of items on a display, and how they can be restrained within the display width or depth and how the expanded versions can also be restrained within that width or depth.

Figure 14 gives another example menu with a number of single line choices in reduced format.

22-FEB. '99 (MON) 21:26 NMP PATENTS UK

FAX: +44 1252 865080

P. 022

The present invention includes any novel feature or combination of features disclosed herein either explicitly or any generalisation thereof irrespective of whether or not it relates to the claimed invention or mitigates any or all of the problems addressed.

In view of the foregoing description it will be evident to a person skilled in the art that various modifications may be made within the scope of the invention. For example, in stead of highlighting options, they could be marked, for example, with a cross.

CLAIMS

1. A handset comprising:
 - a user interface comprising an input, a display for presenting an item, and selection means coupled to the input for selecting an item presented on the display;
 - means for defining a first boundary in one display direction;
 - means for defining a second boundary in a further display direction;
 - means for providing a contracted version of an item which fits within the first and second boundaries; and
 - means for providing a corresponding expanded version of the item which fits within the first boundary and expands in the further display direction;
 - control means, coupled to the selection means, expanded version provision means and contracted version provision means, for controlling operation of the display to present the contracted or expanded version of the item;
 - wherein when the contracted version of the item is presented on the display and selected by the selection means, the control means controls the operation of the display to present the corresponding expanded version.
2. A handset as claimed in claim 1, wherein the first display direction is the direction of the width of the display.
3. A handset as claimed in claim 2, wherein the first boundary is defined by the width of the display.
4. A handset as claimed in any preceding claim, wherein the second boundary is defined by the depth of a display line.
5. A handset as claimed in claim 1, wherein the first display direction is the direction of the depth of the display.

6. A handset as claimed in claim 4, wherein the first boundary is defined by the depth of the display.
7. A handset as claimed in any preceding claim, wherein the contracted version of the item is a reduced content version.
8. A handset as claimed in claim 7, wherein the item is truncated.
9. A handset as claimed in any of claims 1 to 6, wherein the contracted version of the item is a reduced size version.
10. A handset as claimed in any preceding claim, wherein the input comprises means for identifying an item to be selected by the selection means.
11. A handset as claimed in claim 10, wherein the item identifying means comprises voice recognition means.
12. A handset as claimed in claim 10, wherein the item identifying means comprises key means.
13. A handset as claimed in claim 12, wherein the item identifying means further comprises a cursor controlled by the key means.
14. A handset as claimed in claim 13, wherein the selection means selects the item identified by the cursor, in accordance with a further key stroke.
15. A handset as claimed in claim 13, wherein the selection means selects an item identified by the cursor for a predetermined period.
16. A handset as claimed in any of claims 12 to 15, wherein the key means comprises navigation means.

17. A handset as claimed in claim 16, wherein the navigation means is a scroll key, such as a roller key.

18. A handset as claimed in any preceding claim, wherein the item to be presented is a user defined item and the handset comprises means for storing that item.

19. A handset as claimed in any of claims 1 to 17, further comprising a radio receiver for receiving an item to be presented on the display, and for forwarding the item to the contracted and expanded version provision means.

20. A handset as claimed in any preceding claim, wherein the item is one of a selection of items to be presented together on the display.

21. A handset substantially as hereinbefore described, with reference to, and/or as illustrated in, any one, or any combination of Figures to of the accompanying drawings.

22. A communication device substantially as hereinbefore described, with reference to, and/or as illustrated in, any one, or any combination of Figures to of the accompanying drawings.

23. A radiotelephone substantially as hereinbefore described, with reference to, and/or as illustrated in, any one, or any combination of Figures to of the accompanying drawings.

24. A handset comprising:

a user interface comprising an input, a display, and selection means coupled to the input for selecting an item to be presented on the display;

means for providing an expanded version of an item;

means for providing a corresponding contracted version of the item to fit within a predetermined portion of the display; and

22-FEB: '99 (MON) 21:27 NMP PATENTS UK

FAX: +44 1252 865080

P.026

control means, coupled to the selection means, expanded version provision means and contracted version provision means, for controlling operation of the display to present the contracted or expanded version of the item;

wherein, when the contracted version of the item is presented on the display and selected by the selection means, the control means controls the operation of the display to replace the contracted version with the corresponding expanded version.

22-FEB. '99 (MON) 21:27 NMP PATENTS UK

FAX: +44 1252 865080

P. 027

23

AbstractA handset

A handset is disclosed which comprises a user interface comprising an input, a display for presenting an item, and selection means coupled to the input for selecting an item presented on the display. The item may be presented in contracted format and/or expanded format

[Figure 6]

This Page Blank (uspto)




Fig. 1






Fig. 2

This Page Blank (uspto)



This Page Blank (uspto)

22-FEB. '99 (MON) 21:41

NMP PATENTS UK

FAX: +44 1252 865080

P. 028

3/19
The Curry House

Set Menu	Starters	Main Course	Sundries	Side Dishes
No. of persons 1 2 3 4	Samosa Prawn puree Onion Bhaji	Meat Chicken tikka Lamb Madras Chicken Vindaloo	Rice Plain Pilau	Bombay potatoes Aloo gobi
		Fish Prawn Biryani King Prawn Jalfrezi	Nan Garlic Keema	
		Vegetable Dhansak Tikka Masala		

FIGURE 5(a)

This Page Blank (uspto)

22-FEB. '99 (MON) 21:41

NMP PATENTS UK

FAX: +44 1252 865080

P. 029

4/19

Set Menu
No. of persons
1
2
3
4
Starters
Samosa Prawn puree Onion Bhaji
Main Course
Meat Chicken tikka Lamb Madras Chicken Vindaloo
Fish Prawn Biryani King Prawn Jalfrezi
Vegetable Dhansak Tikka Masala
Sundries
Rice Plain Pilau
Nan Garlic Keema
Side Dishes
Bombay potatoes Aloo gobi

FIGURE 5(b)

This Page Blank (uspto)

Menu	
Set menu []	
Starters []	
Main Course []	
Sundries []	
Side Dishes []	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sundries []	
Side Dishes []	
Select	Back

Nan	
Garlic	
Keema	
Select	Back

Starters	
Samosa	
Prawn puree	
Onion Bhaji	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sundries []	
Side Dishes []	
Select	Back

Sundries	
Rice [Pilau]	
Nan [Keema]	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course []	
Sundries []	
Side Dishes []	
Select	Back

Sundries	
Rice []	
Nan []	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes []	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course []	
Sundries []	
Side Dishes []	
Select	Back

Rice	
Plain	
Pilau	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes []	
Select	Back

Main Course	
Meat []	
Fish []	
Vegetable []	
Select	Back

Sundries	
Rice [Pilau]	
Nan []	
Select	Back

Side Dishes	
Bombay potatoes	
Aloo gobi	
Select	Back

Fish	
Prawn Biryani	
King Prawn Jalfrezi	
Select	Back

Sundries	
Rice [Pilau]	
Nan []	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes [Aloo Gobi]	
Select	Back

FIGURE 5(c)

This Page Blank (uspto)

(a)

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes [Aloo Gobi]	
Select	Back

(b)

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes [Aloo Gobi]	
Select	Back

(c)

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes [Aloo Gobi]	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes [Aloo Gobi]	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes [Aloo Gobi]	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice [Pilau] Nan [Keema]]	
Side Dishes [Aloo Gobi]	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn Jalfrezi]	
Side Dishes [Aloo Gobi]	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sundries [Rice [Pilau] Nan [Keema]]	
Select	Back

Menu	
Main Course [King Prawn Jalfrezi]	
Sundries Rice [Pilau] [Nan [Keema]]	
Select	Back

Menu	
Main Course [King Prawn Jalfrezi]	
Select	Back

Menu	
Sundries [Rice [Pilau] Nan [Keema]]	
Select	Back

FIGURE 6

This Page Blank (uspto)

7/19

```

<CARD NAME="Info">
Please enter info:
First Name:<INPUT TYPE="TEXT" KEY="fname" TITLE="First
name:"/>
Last Name:<INPUT TYPE="TEXT" KEY="lname" TITLE="Last
name:"/>
<DO TYPE="ACCEPT" NAME="do1" LABEL="OK">
  <GO URL="#card"/>
</DO>
</CARD>

```

```

711 ~~~~~ Info ~~~~~
712 |Please enter info:|
    |First Name:[]|
    |Last Name:[]|
    |Options|
    ~~~~~

```

701

```

|---- First name ----|
|<this is "normal">|
|<phone alpha editor>|
|OK      Clear|
|-----|

```

702

```

|----- Info -----|
|Please enter info:|
|First Name:[Mikko]|
|Last Name:[]|
|Options|
|-----|

```

703

FIGURE 7

This Page Blank (uspto)

8/19

<WML>

<CARD NAME="Sports" STYLE="LIST">

<DO TYPE="ACCEPT" LABEL="Back">

<GO URL="main.wml"/></DO>

-Sports Results-

Select the topic:

<SELECT TITLE="Game 8-Oct">

<OPTION ONCLICK="#Soccer">Soccer</OPTION>

<OPTION ONCLICK="#Hockey">Hockey</OPTION>

<OPTION ONCLICK="#Tennis">Tennis</OPTION>

</SELECT>

</CARD>

----- Sports -----	
-Sports Results-	
Select the topic:[]	
Options	

---- Game 8-Oct ----	
Soccer	
Hockey	
Tennis	
Select	Back

----- Sports -----	
-Sports Results-	
Select the topic:	
[Tennis]	
Options	

FIGURE 8

This Page Blank (uspto)

9/19




FIGURE 9

This Page Blank (uspto)




FIGURE 9 (cont)

This Page Blank (uspto)

11/19




FIGURE 9 (cont)

This Page Blank (uspto)

12/19




FIGURE 10

This Page Blank (uspto)

22-FEB.'99 (MON) 21:43

NMP PATENTS UK

FAX: +44 1252 865080

P. 038

13/19

910

White Pages

Please enter the name to be searched.

Name: []

Options Exit

911

Name: []

Peter

Ok Clear

920

White Pages

Please enter the name to be searched.

Name: [Peter]

Options Exit

930

Connecting to Service...

Cancel

940

4 found

[Peter Adam]

[Peter Nap]

[Peter Pan]

[Peter Pumpkin]

Options Back

950

Peter Pumpkin

+1 555 1234 567

Address:

99 Unknown Str.

XX-99999 Here

Options Back

960

2 numbers

+15551234567

+15551235678


Options Back

970

FIGURE 10 (cont.).

This Page Blank (uspto)


14/19



(a)


(d)

	Name	X	Y	W	H	LM	RM	TM	BM	J	Contents
A1	Left Softkey	0	54	96*	11	0	0	3	0	L	Softkey text
A2	Right Softkey	0*	54	96*	11	0	0	3	0	R	Softkey text
B	Header	0	0	96	0	0	0	0	0	C	Graphical icons and/or header text with line drawn on both sides
C	List of Items	0	10	96	44						Item text, images



(b)

or



(c)

....

(e)

	Name	X	Y	W	H	LM	RM	TM	BM	J	Contents
C	Item	0	11	96	10	2	1	1	1	L	item text
D	Item	0	21	96	10	2	1	1	1	L	item text
E	Item	0	31	96	10	2	1	1	1	L	item text
F	Item	0	41	96	10	2	1	1	1	L	item text
!	Pixel rows 10, 51, 52, 53 not in use										
G	Image	0	10	96	44	2	1	0	1	L	item text

FIGURE 11

This Page Blank (uspto)

15/19

Navigation

Variables



Input
Element

FIGURE 12a

This Page Blank (uspto)

16/9


Figure 12b



This Page Blank (uspto)

17/19

FIGURE 12C



This Page Blank (uspto)

22-FEB. '99 (MON) 21:44

NMP PATENTS UK

FAX: +44 1252 865080

P. 043

18/19




FIGURE 13

This Page Blank (uspto)

19/19

The content of the service could be as following:

Weather in Finland
Weather in Poland
Weather in United States of America

Select Back

What we can show on a small display is:

Weather in F...
Weather in P...
Weather in U...

Select Back

The following method solves the problem:

1. User scrolls to the last one row choice item.	Weather in F... Weather in P... >Weather in U... Select Back
2. After a timeout the <i>one row choice item</i> is displayed as <i>full window choice item</i> . Additionally, the lengthening of a one row choice item can also be done with a specific shortcut key e.g. #, *, etc.	Weather in United States of America Select Back

Selection list. ">" character is used to represent the one row choice item which user selects.

Headset
General
>Silent

Select Back

Multiselection list. "X" character is used to represent the one row choice items which user has selected

X Dog
Cat
X Mouse

Mark Done

FIGURE 14

This Page Blank (uspto)




FIGURE 5(C)

gpaie

This Page Blank (uspto)

6/19

(a)

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

(b)

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

(c)

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

52

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

603

585

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

60

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

56

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

601

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

60

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

602

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

Menu	
Set menu []	
Starters [Samosa]	
Main Course [King Prawn...]	
Sund's [Rice (Pilau) Nan (Keema)]	
Side Dishes [Aloo Gobi]	
Select	Back

FIGURE 6

Q. 10

This Page Blank (uspto)